

# Internal Partition Res Bar One Side Details




### Contents

### Metal Stud Partition System (Res-Bar one side)

ML/TYP/120	15 - 25mm / 30 or 60 minute deflection
ML/TYP/121	base detail
ML/TYP/122	internal corner detail
ML/TYP/123	external corner detail
ML/TYP/124	abutment detail
ML/TYP/125	T Junction
ML/TYP/126	horizontal joint
ML/TYP/127	heavy / severe door opening
ML/TYP/128	heavy /severe door opening - section AA
ML/TYP/129	party wall /SFS abutment option A
ML/TYP/130	party wall /SFS abutment option B
ML/TYP/131	party wall T Junction


#### 15 - 25mm / 30 or 60 minute deflection head



Notes: This drawing should be read in conjunction with the relevant sections of the manufacturers current product literature we would draw your attention to the Construction (Design and Management) Regulations 1994 and the Approved Code of Practice which detail the legal duties of clients, client's agents designers and contractors involved in construction projects.




projecti	Typical Detail				
initials:	date:	drg no:			
ML	01/03/2017	ML/TYP/120			



project:



Typical Detail						
initials:		date: 01/03/2017		drg no:	MI /TVD/121	




for discussion purposes only / do not scale



project:			
		Typical Detail	
initials:	date:	drg no:	

ML 01/03/2017

drg no:
ML/TYP/122



for discussion purposes only / do not scale  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ 




project:		Typical Detail	
initials:	date:	drg no:	

ML 01/03/2017

drg no:
ML/TYP/123


## resilient bar partition (one side) abutment detail



Notes: This drawing should be read in conjunction with the relevant sections of the manufacturers current product literature we would draw your attention to the Construction (Design and Management) Regulations 1994 and the Approved Code of Practice which detail the legal duties of clients, client's agents designers and contractors involved in construction projects.



Typical Detail						
initials:		date: 01/03/2017		drg no:	ML/TYP/124	




for discussion purposes only / do not scale  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ 



Typical Detail			
	initials:	date: drg no: ML/TY	/P/125

# resilient bar partition (one side) horizontal joint



Notes: This drawing should be read in conjunction with the relevant sections of the manufacturers current product literature we would draw your attention to the Construction (Design and Management) Regulations 1994 and the Approved Code of Practice which detail the legal duties of clients, client's agents designers and contractors involved in construction projects.

for discussion purposes only / do not scale


ML/TYP/126




project:			
		Typical Detail	
initials:	date:	drg no:	


01/03/2017

ML



for discussion purposes only / do not scale  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ 






for discussion purposes only / do not scale



Typical Detail
initials: date: drg no:


1L 01/03/2017

rg no: ML/TY/128






Typical details				
initials:	date:	drg no:		
ML	01/01/2018	ML/TYP/129/SFS/A		





	Typical details				
initials:	date: 01/01/2018	drg no: ML/TYP/130/SFS/B			





project:					
		Tunios	. 1 г	Dotail	
Typical Detail					
initials:		date:		drg no:	
ML		01/01/2018		ML/TYP/131	